

IN THE CLAIMS

For the convenience of the Examiner, all claims of the present Application are shown whether or not an amendment has been made. Please amend the claims as follows:

B1 SUB C17 1. (Currently amended) A method for data processing comprising:
receiving a web page request, the web page request requesting a first web page, the first web page being associated with an origin server;
associating the first web page with a first node in a prefetch graph;
associating a respective second node in the prefetch graph with each of a plurality of second web pages associated with the first web page;
generating at least one link in the prefetch graph between the first node and each of the second nodes, each link having a respective associated transaction weight;
selecting at least one of the second web pages to retrieve based on the graph; **and**
storing the selected second web pages at a cache server; **and**
wherein each link further has a respective associated user weight.

2. (Original) The method for data processing according to Claim 1, wherein each link is associated with a hypertext link between each of the second web pages and the first web page.

3. (Original) The method for data processing according to Claim 1 and further comprising:
receiving a selection of one of the hypertext links associated with the first web page;
and
updating the transaction weight associated with the link associated with the selected hypertext link.

4. (Original) The method for data processing according to Claim 3, wherein updating the transaction weight comprises changing the transaction weight based on criteria associated with the origin server.

5. (Cancelled)

B1
am 4

6. (Currently amended) The method for data processing according to Claim ~~5~~ 1, wherein the web page request has an associated priority and further comprising modifying the priority based on ~~the~~ a user weight associated with each link.

7. (Currently amended) The method for data processing according to Claim ~~5~~ 1 and further comprising:

receiving a selection of one of the hypertext links associated with the first web page;
and

updating ~~the~~ a user weight associated with the link associated with the selected hypertext link.

8. (Original) The method for data processing according to Claim 7, wherein updating the user weight comprises changing the user weight based on criteria associated with the origin server.

9. (Original) The method for data processing according to Claim 7, wherein updating the user weight comprises increasing the user weight to indicate an increased value associated with the link because the hypertext link associated with link has been selected.

10. (Original) The method for data processing according to Claim 1 and further comprising storing the prefetch graph at the cache server.

11. (Original) The method for data processing according to Claim 1, wherein selecting the second web page comprises:

comparing a plurality of the transaction weights; and
selecting the second web page associated with the highest valued of the transaction weights.

12. (Original) The method for data processing according to Claim 11, wherein the highest valued of the transaction weights comprises the transaction weight having the largest numerical value.

B1
OM4

13. (Original) The method for data processing according to Claim 11, wherein comparing the transaction weights further comprises determining which of the transaction weights exceeds a prefetch threshold associated with the cache server.

14. (Original) The method for data processing according to Claim 13 and further comprising updating the prefetch threshold based on a processing load associated with the cache server.

15. (Original) The method for data processing according to Claim 13 and further comprising updating the prefetch threshold based on a processing load associated with the origin server.

B1
am

16. (Original) A method for data processing comprising:

- receiving a web page request for a first web page, the web page request having an associated origination web page;
- associating an origination node in a prefetch graph with the origination web page;
- associating a first node in the prefetch graph with the first web page, the first web page being associated with the origination web page;
- updating a first link between the origination origination node and the first node, the first link having an associated first user weight and an associated first transaction weight;
- associating a second node in the prefetch graph with each of a plurality of second web pages associated with the first web page;
- generating a respective second link in the prefetch graph between the first node and each of the second nodes, each second link having an associated second user weight and an associated second transaction weight;
- selecting a second web page to retrieve based on the transaction weight; and
- storing the second web page at a cache server.

17. (Original) The method for data processing according to Claim 16, wherein updating the first link comprises updating the first transaction weight.

18. (Original) The method for data processing according to Claim 16, wherein updating the first link comprises updating the first user weight.

19. (Original) The method for data processing according to Claim 16, wherein selecting the second web page comprises determining whether the selected second web page has an associated second transaction weight greater than a prefetch threshold associated with the cache server.

20. (Original) The method for data processing according to Claim 19 and further comprising updating the prefetch threshold based on a processing load associated with the cache server.

21. (Original) The method for data processing according to Claim 16, wherein the first and second links respectively indicate hypertext links.

B1
am#

22. (Original) The method for data processing according to Claim 16, wherein selecting the second page comprises:
comparing a plurality of the second transaction weights; and
selecting the second web page associated with the second link having the highest valued of the transaction weights.

23. (Original) The method for data processing according to Claim 22, wherein the highest valued of the transaction weights comprises the transaction weight having the largest numerical value.

P1
cont

24 (Original) A system for data processing comprising:
a memory coupled to a processor;
an application stored in the memory and operable to:
 receive a web page request for a first web page, the web page request having
an associated origination web page;
 associate an origination node in a prefetch graph with the origination web
page;
 associate a first node in the prefetch graph with the first web page, the first
web page being associated with the origination web page;
 associate a first link in the prefetch graph with a hypertext link from the
origination web page to the first web page;
 associate a transaction weight with the first link based on prefetch criteria
associated with an origin server associated with the prefetch graph;
 associate a user weight with the first link based on the prefetch criteria;
 retrieve the first web page; and
 store the first web page.


CONCLUSIONS

Applicant has responded to the Office Communication mailed on November 27, 2002, and Applicant has made an earnest attempt to place the Response to Office Action mailed on September 17, 2002, in compliance with 37 C.F.R. § 1.121.

If the Examiner feels that a telephone conference or an interview would advance prosecution of this case in any way, the Examiner is invited to contact Keiko Ichiye, the Attorney for Applicant at the Examiner's convenience at (214) 953-6494.

Although Applicant believes no fees are due, the Commissioner is hereby authorized to charge any fees or credit any overpayments to Deposit Account No. 02-0384 of Baker Botts L.L.P.

Respectfully submitted,
BAKER BOTTS L.L.P.
Attorney for Applicant


Keiko Ichiye
Reg. No. 45,460

KI/MQ/lis
CORRESPONDENCE ADDRESS:
Baker Botts L.L.P.
2001 Ross Avenue, Suite 600
Dallas, TX 75201-2980
(214) 953-6494

Date: March 20, 2003